



**TOWN OF STRATFORD
PURCHASING DEPARTMENT
STRATFORD, CONNECTICUT**

BID No. 2014-071

Issued : September 29, 2014

Subject : 2014/2015 Dodge RAM 5500 Dump Truck
With Plow and Spreader

The Town of Stratford through the Office of the Purchasing Agent, will receive SEALED BIDS for furnishing the equipment described in the accompanying specifications, in accordance with the instructions, conditions and reservations that follow:

A. CLOSING DATE:

Bids will be received until 3:00 pm October 14, 2014, at which time they will be publicly opened and read. All bidders are invited to attend this public opening, which will be held immediately following the closing time specified above, in the Office of the Purchasing Agent, Room 202, Town Hall, 2725 Main Street, Stratford, CT 06615.

Any bid may be withdrawn prior to the above-scheduled time for receiving bids or authorized postponement thereof. Any bids received after the date and time specified shall NOT be considered. No bidder may withdraw a bid within 45 days after the actual opening thereof.

SPECIFICATIONS
2014 or 2015 DODGE RAM 5500 4 x 4 DUMP TRUCK
WITH SNOW PLOW AND MATERIAL SPREADER

		COMPLY	
		YES	NO
Model	Dodge Ram 5500 Reg Cab & Chassis 4 x 4 Dual Rear Wheels Model Year _____	_____	_____
GVWR	18,750# Min	_____	_____
Wheel Base (WB)	144.5"	_____	_____
Cab To Axle (CA)	60"	_____	_____
Front Axle	Min. 7,000# Front Drive Axle Min. 7,000# Coil Springs 7,000# Front GVWR Front Stabilizers H.D. Shocks	_____	_____
Rear Axle	Min. 13,500# Dana 4.88 Gear Ratio Limited Slip Axle 13,500# Multi Leaf Rear Suspension Auxiliary Spring H.D. Rear Shocks	_____	_____
Engine	6.7L I6 Diesel Min. 305 HP @ 2900 RPM Min. 610 Ft.Lb Torque @ 1600 RPM Air Cleaner Mounted Restriction Indicator 110V Engline Block/Coolant Heater	_____	_____
Transmission	6 Speed Auto Aisin AS69RC Transmission PTO Provision Transmission Cooler	_____	_____
Transfer Case	2 Speed Manual Shift On The Fly	_____	_____
Brakes	Power Brakes Disc Front and Rear 4 Wheel ABS Hydraulic System	_____	_____
Tow Package	Electric Brake Controller Factory Installed In Dash	_____	_____

Electrical	Alternator 12v Extra HD 220 Amp	_____	_____
	Dual 78 Amp HR Batteries	_____	_____
	Batteries 730 CCA Each	_____	_____
	Roof Clearance Lights	_____	_____
	Halagen Bulb Headlights	_____	_____
	Daytime Running Lamps	_____	_____
	(4) OEM Integrated Upfitter Switches Mounted In Dash	_____	_____
Fuel Tank	Single 52 Gal. Total Mounted Aft of Rear Axle	_____	_____
	Engine Mounted Fuel Water Separator	_____	_____
Tires	Six (6) 225/70R/OR19.5G All Purpose Ft/Rr Tracation	_____	_____
	6 Ton Jack Mounted in Cab	_____	_____
Equipment	1front 2 rear spare tires and rims	_____	_____
	Factory Installed Air Conditioning	_____	_____
	Power Steering	_____	_____
	All Glass Tinted	_____	_____
	Manual Telescopic 2 Direction Fold Away Mirrors	_____	_____
	Integrated Convex Mirrors	_____	_____
	Steel Front Bumper, Painted	_____	_____
	Front Tow Hooks	_____	_____
	Driver and Front Passenger Air Bags	_____	_____
	12V Aux. Power Point In Dash	_____	_____
	Dual Cup Holders Dash Mounted	_____	_____
	Dome Lamp, Dual Door Activated	_____	_____
	Gauges, Tachometer	_____	_____
	Trip Odometer	_____	_____
	Oil Pressure	_____	_____
	Coolant Temp.	_____	_____
	Transmission Temp.	_____	_____
	Fuel Gauge	_____	_____
	AM/FM Electronic Radio/CD with Clock	_____	_____
	Interval Windshield Wipers	_____	_____
	Dual Electric Horns	_____	_____
	H.D. Vinyl/Cloth Bench Seats	_____	_____
	Head Restraints at Outboard Position	_____	_____
Side Impact Door Beams	_____	_____	
Black Vinyl Full Floor Covering	_____	_____	
Molded Cloth Headliner	_____	_____	
Standard Single Color Red Clearcoat	_____	_____	
Factory Painted	_____	_____	
Customer Prefered Package 29A	_____	_____	
complete shop manual	_____	_____	

Dump Body	Iroquois Brave Series DumpBody	_____	_____
	3-4 Yard Capacity	_____	_____
	9' x 89" inside dimensions	_____	_____
	15" Side Height	_____	_____
	21" Tailgate Height	_____	_____
	4" Structural Channel Longsills	_____	_____
	2 rear mud flaps	_____	_____
	Stainless Steel front sides floor and tailgate	_____	_____
	12 gage slanted double wall tailgate pro latch quick release system	_____	_____
	1/4" Cab Shield	_____	_____
	Manual Load Cover	_____	_____

Hoist	9 ton full sub frame electric hoist	_____	_____
	in line 250 amp fuse holder	_____	_____
	Push Button Controls	_____	_____

Trailer Equipment	1/2" Pintle Plate with Receiver Tube	_____	_____
	PM87 Draw Bar with 2" Combo Hook "D" Rings Electric Brake	_____	_____
	Controller wired to Plate Mounted Socket	_____	_____

Snow Plow	Fisher 9' MC Series Power Angle	_____	_____
	Minuted Mount Quick Detach System	_____	_____
	Electric Over Hydraulic Power Unit with Joystick Controls	_____	_____
	Installed and Operational Including Cutting Edge and Rubber Flap	_____	_____
	Plow lights and guides	_____	_____

Material Spreader	Fisher Polycaster Spreader installed and Operational	_____	_____
	2.5 Cubic Yard Capacity	_____	_____
		_____	_____
		_____	_____
		_____	_____
		_____	_____

	36" Steel Underbody Tool Box	_____	_____
	4 (Four) LED Flashers - 2 In the Rear Corner Posts and 2 in the	_____	_____
	Front of the Cabshield on 45 Degree Angles in Steel Light Boxes	_____	_____
	ICC Lights	_____	_____
	1 Piece Poly Rear Fenders Body Prop	_____	_____
	Back-Up Alarm	_____	_____
	Ladder	_____	_____
	Installed and Painted	_____	_____
	One Owners Manual	_____	_____

optional deduct for steel body

STATE DELIVERY DATE WHICH WILL BE TAKEN INTO
CONSIDERATION ALONG WITH PRICE

TOWN OF STRATFORD
BID SHEET
BID # 2014-071

DESCRIPTION : 2014/2015 Dodge Ram 5500 Dump Truck with Plow & Spreader

Total Price for Truck and Equipment \$ _____

Attach a detailed list of specifications (including make and model).

Bidder shall note in writing any deviations from the bid requirements. Failure to do so may be just cause for rejection of vendor's bid as being nonresponsive.

Bidder's Name : _____

Address : _____

Phone : _____ Date : _____

Authorized Signature : _____

Print Name: _____

Title : _____

References (at least three, including contact name and phone) :
