



**TOWN OF STRATFORD
PURCHASING DEPARTMENT
STRATFORD, CONNECTICUT**

BID No. 2016-024

Issued : May 11, 2016

Subject : Boothe Memorial Park Visitor & Education Center
Repair & Restoration

The Town of Stratford through the Office of the Purchasing Agent, will receive SEALED BIDS for furnishing the equipment described in the accompanying specifications, in accordance with the instructions, conditions and reservations that follow:

A. CLOSING DATE:

Bids will be received until 3:00 pm May 25, 2016, at which time they will be publicly opened and read. All bidders are invited to attend this public opening, which will be held immediately following the closing time specified above, in the Office of the Purchasing Agent, Room 202, Town Hall, 2725 Main Street, Stratford, CT 06615.

Any bid may be withdrawn prior to the above-scheduled time for receiving bids or authorized postponement thereof. Any bids received after the date and time specified shall NOT be considered. No bidder may withdraw a bid within 45 days after the actual opening thereof.

B. INSTRUCTIONS:

Bid proposals are to be submitted (**TWO COPIES**) in a sealed envelope and clearly marked with the bid number and description on the outside of the envelope, including all outer packaging (DHL, FedEx, UPS, etc).

Bids must be delivered to:

Purchasing Department
Stratford Town Hall – Rm 202
2725 Main Street
Stratford, CT 06615

C. CONDITIONS:

Bid Surety:

A Bid Bond in the amount of 5% (five percent) of the total bid must accompany each proposal, made payable to the Town of Stratford. No bid will be considered without this surety.

Payment: Final payment will be made upon the acceptance of the completed work by an authorized representative of the Town of Stratford. NO partial payments will be made. Invoices covering the work specified herein should be forwarded to the Purchasing Department upon completion of the project.

Taxes: The Town of Stratford is exempt from all State and Federal taxes. Do not include these amounts in your quotation.

Addendums: All addendums will be posted on the town website, www.townofstratford.com. It is the responsibility of the bidder to check the website for any addendums before submitting their bid.

Conflict of Interest: No public official or employee shall, while serving as such, have any financial interest or engage in any business, employment, transaction or professional activity or incur any obligation of any nature which is in substantial conflict with the proper discharge of his/her duties or employment in the public interest.

Insurance Requirements:

A. General Liability

Occurrence limit \$1,000,000; aggregate limit \$2,000,000. The insurance carried by the proposer shall be on form CG 00 01, or equivalent. The Town of Stratford shall be named as an additional insured on the contractor's General Liability Insurance Policy with form CG 20 10 or CG 20 33, *and* CG 20 37.

B. Automobile Liability

Combined single limit of \$1,000,000. Comprehensive automobile policy to cover all

- owned, hired or non-owned automobiles or vehicles.
- C. Workers Compensation

The proposer must have workers' compensation and employers liability insurance as required by Connecticut and federal law, plus employers liability limits of \$1,000,000 per accident, 1,000,000 disease each employee and \$1,000,000 disease policy limit.

- D. Umbrella Liability

The proposer shall have a minimum coverage of \$1,000,000 excess umbrella coverage, naming the Town as additional insured.

The proposer shall procure and pay for the insurance coverage described above and must maintain the indicated insurance for a period of two (2) years after completion of the contract. All policies shall provide for thirty (30) days written notice prior to cancellation, substantial change or nonrenewal. The successful bidder must file an Insurance Certificate within two weeks of the date of notification of award. Failure or neglect to do so may be considered by the Town as proof that the proposer is unable to fulfill the contract. A current insurance certificate and a copy of the endorsement or policy wording adding the Town as Additional Insured must be in the Town's possession at all times. In addition, the selected firm shall require its subcontractors, if any, to meet the same insurance requirements and to furnish the Town with similar evidence of insurance.


In addition, the proposer shall, at all times, save, indemnify and hold harmless the Town of Stratford, its officers, agents, employees and servants from liability of any nature or kind, including costs and expenses for or on account of, any patented or copyrighted equipment, materials, articles, or processes used in the performance of this contract, or on account of any and all claims, damages, losses, litigation expense and counsel fees arising out of loss or injuries (including death) sustained by or alleged to have been sustained by the public or any persons affected by the proposer's work, or by the proposer or any subcontractor, or anyone directly or indirectly employed by them while engaged in the performance of their duties in connect

D. RESERVATIONS:



The Town of Stratford may consider informal any bid not prepared and submitted to the Town in accordance with the provisions herein stated. The Town of Stratford reserves the right to reject any or all bids or parts of bids; to waive defects in same bids; or to accept any bid or part thereof deemed to be in the best interests of the Town of Stratford.

Supply detailed descriptions and specifications of all items.


BOOTHE MEMORIAL PARK VISITOR AND EDUCATION CENTER TOWN OF STRATFORD, CT



VICINITY MAP



1 A001 SITTING WALL
1/2" = 1'-0"



SITE PLAN
1" = 10'-0"

SHEET INDEX

| Number | Title |
|--------|-----------------------------------|
| A001 | GENERAL INFORMATION AND SITE PLAN |
| A002 | GENERAL NOTES |
| D100 | DEMOLITION PLANS |
| D200 | DEMOLITION ELEVATIONS |
| A100 | ARCHITECTURAL PLANS |
| A200 | EXTERIOR ELEVATIONS |
| A300 | BUILDING SECTIONS |
| A301 | BUILDING SECTIONS |
| A400 | DOORS AND WINDOWS |
| E100 | ELECTRICAL AND LIGHTING PLAN |
| S100 | STRUCTURAL PLANS |

DeStefano & Chamberlain
Incorporated
Structural and Architectural Engineering
50 Thorpe Street, Fairfield, CT 06824-5725
203 254-7131 www.dcstructural.com

Ownership and conditions of use:
Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
Copyright 2013 DeStefano & Chamberlain, Inc.

Issued for Bids
Not for Construction

| Revisions/Submission | |
|----------------------|-------------|
| Date | Description |
| | |
| | |
| | |

**BOOTHE MEMORIAL PARK
VISITOR & EDUCATION
CENTER**
5800 Main Street Putney
Stratford, CT 06614

GENERAL INFORMATION
AND SITE PLAN

| | |
|-----------------------------|-------------------------|
| Project Number: 16-953 | Date: 4-26-2016 |
| Scale: As indicated | Drawing number: A001 |
| Designed by: JBD/KHC/RTW | A001 |
| Drawn by: RTW | |
| Checked by: KHC | |

DESIGN LOADS

The structure has been upgraded to resist the following loads in accordance with Chapter 16 of the Connecticut State Building Code, and ASCE Standard 7-02.

Ground snow load: 30 psf; Roof snow load: 30 psf
No slope reduction taken

Wind design criteria:
Basic wind speed (3 second gust) = 110
Exposure classification = C
Importance factor = 1.0
Category II, enclosed building

Lateral load system: Plywood shear walls.

ABBREVIATIONS

| | | | |
|-----------|-----------------------|---------|--------------------------|
| abv. | Above | lb. | Pound |
| ABFF | Above finish floor | LF | Lineal foot |
| anch. | Anchor | LLH | Long leg horizontal |
| arch. | Architect | LLV | Long leg vertical |
| BCF | Bottom of footing | LP | Low point |
| BS | Bearing | LW | Light weight |
| BS | Both sides | max. | Maximum |
| cont. | Contilever | min. | Minimum |
| CJ | Control joint | MO | Masonry opening |
| cl | Clear | mt. | Metric |
| CMU | Concrete masonry unit | N/C | Not in contract |
| col. | Column | NTS | Not to scale |
| conc. | Concrete | NS | Near side |
| cont. jt. | Construction joint | O.C. | On center |
| cont. | Continuous | OD | Outside diameter |
| CY | Cubic yard | PAF | Powder actuated fastener |
| dia. | Diameter | PE | Professional engineer |
| diag. | Diagonal | PT | Pressure treated |
| D2 | Double | ref. | Reinforced |
| dwg. | Drawing | plywd. | Plywood |
| EF | Each face | reinf. | Reinforce |
| elev. | Elevation | requir. | Required |
| engr. | Engineer | rev. | Revision |
| ea. | EaUl | rm. | Room |
| EW | Each way | RO | Rough opening |
| ex. | Exiting | sect. | Section |
| exp. | Expansion | sim. | Similar |
| exp. jt. | Expansion joint | SS | Stainless steel |
| ext. | Exterior | std. | Standard |
| fn. | Foundation | stl. | Steel |
| fr. | Framed | struct. | Structural |
| FF | Finish floor | TEB | Top and bottom |
| FOB | Face of stud | TBD | To be determined |
| FS | For side | temp. | Temperature |
| frg. | Framing | thru. | Through |
| ga. | Gage | T&G | Tongue and groove |
| galv. | Galvanized | TOV | Top of wall |
| G.C. | General contractor | typ. | Typical |
| hdr. | Header | UN | Unless otherwise noted |
| hgr. | Hanger | vert. | Vertical |
| horiz. | Horizontal | v.l.f. | Verify in field |
| HP | High point | W.W.F. | Welded wire fabric |
| id. | Inside diameter | w | With |
| jt. | Joint | w/o | Without |
| | | ø | Diameter |

WORK UNDER THIS CONTRACT

Without limiting the scope of work shown on these drawings, the work to be performed under this contract is summarized as follows:

- General conditions, refer to bid notice and instructions issued by the Town of Stratford.
- Temporary facilities including port-a-john, job trailer, temporary power and lighting.
- Field supervision, including a full time on-site superintendent and project management.
- Waste disposal, including dumpsters and documentation of disposal site or method.
- Temporary shoring and bracing as required to install the new masonry curb.
- Masonry including new CMU curb and parged exterior face.
- Rough carpentry including removal/replacement of existing timbers, new stud wall framing, new interior partitions, new roof sheathing, removal of existing temporary bracing, removal of existing loft and stairs, and new structural chains and hardware.
- Exterior finish carpentry including cutting/patching of existing siding, removal/replacement of existing eave/rake overhangs, new window and door trim.
- Windows and doors including installation, flashing, and caulking.
- Roofing and flashing including stripping of existing roof shingle layer(s) and underlayment
- Exterior painting including preparation of existing siding, caulking and spackling.
- Rough electrical
- Fire alarm system with interface for off-site monitoring
- Exterior finish electrical
- Except for permanent light fixtures and trim plates, purchase/install interior finish electrical, so electrical and fire alarm systems can be tested and inspected.
- Temporary lighting wired to new lighting circuits, installed at project closeout
- Spray foam insulation
- Door hardware
- Final cleaning
- Secure all required permits, and all required inspections by the Building Official and Fire Marshal of work completed under this contract.

Contractor shall assume the project is subject to State of Connecticut prevailing wage rates in effect at the time the bid is noticed.

WORK TO BE PERFORMED BY OTHERS

Work to be performed by the Town of Stratford concurrent with this project:

- Excavating, backfilling, drainage (gravel strip), rough & fine grading, seeding
- Asphalt pavement and subbase
- Relocation of existing chicken coop.
- Temporary electrical power and potable water will be provided by the Town for contractor's use in conducting the work of this project, at no cost to the contractor.

Work to be performed by Friends of Boothe Park after this project is completed:

- Exterior fieldstone terrace and fieldstone sitting wall with concrete footing
- Interior finish carpentry including wall and ceiling board finish, interior trim, and plywood sheathing on interior face of exterior walls
- Interior painting
- Gypsum board, including taping and sanding.
- Design-build heating and cooling system design/purchase/installation including indoor unit, outdoor unit, linesets, disconnect switch, exterior pad, and related engineering services.
- Remove/replace interior finish electrical as required for installation of interior finishes:
 - Switches and receptacles
 - Fire alarm devices
 - Exit signs
 - Emergency lighting
- Purchase and install trim plates
- Purchase and install interior light fixtures

Contractor shall coordinate and cooperate with Town, Friends of Boothe Park, and any separate contractors engaged by same.

GENERAL

All details shall be considered typical and shall apply to all same and similar conditions.

The Contractor shall field measure and verify all dimensions of the existing building and all dimensions related thereto.

The Contractor shall be responsible for all temporary shoring and bracing required to maintain the structural stability of the building during construction.

All work shall be in accordance with the Connecticut State Building Code, which includes the 2003 International Building Code and 2005, 2009, 2011, and 2013 Connecticut Amendments.

The Contractor shall be solely responsible for construction site safety as well as the means and methods of construction.

The Contractor shall be responsible for identifying any hazardous materials contained in the existing building prior to proceeding with the work. (i.e. lead paint, asbestos, PCBs).

Do not scale drawings.

Notify the Architect/Engineer of any discrepancies within the drawing set, or between the drawings and existing conditions. It is incumbent on the general contractor bidding the project to identify such discrepancies prior to submitting his bid.

No requests for additional scope, time, or compensation will be accepted by the Owner unless approved in writing in advance by the Owner and Architect/Engineer.

Where shown, elevations are referenced to an assumed datum.

CONCRETE MASONRY

Concrete masonry units shall be hollow load-bearing units with light-weight aggregate, conforming to ASTM C90 grade N-1.

Concrete masonry work shall conform to ACI 530-05/ASCE 5-02 'Building Code Requirements for Masonry Structures' and ACI 530.1-02/ASCE 6-02/TMS 602-025 'Specifications for Masonry Structures.'

Mortar shall be Type N Portland Cement-Lime mortar conforming to ASTM C270.

Grout shall conform to ASTM C476.

Portland cement, ASTM C150.

Hydrated lime: ASTM C207, type S.

Masonry cement shall not be used. Calcium chloride shall not be used.

Grout all cells solid with a Portland Cement-Sand grout.

Concrete masonry units shall be laid in running bond with concave tooled mortar joints.

Minimum lap for reinforcing bars is 40ø.

The exposed exterior face of the new concrete masonry foundation curb shall be parged to a 3/8" to 1/2" thickness with a Portland Cement-Sand-Lime parge mix. Apply WeldCrete bonding agent to block surface prior to parging, in accordance with manufacturer's instructions.

ROUGH CARPENTRY

2x dimensional framing lumber shall be Douglas Fir #2 or better, except that wood framing in contact with concrete or masonry, and exterior deck framing, shall be Southern Yellow Pine #2 or better C-A-Z or ACQ preservative treated in accordance with AWPA Standard C2, for 'Ground Contact.'

Where new exposed timber posts or girts are required, use reclaimed antique timbers that generally match the texture and patina of the existing timbers.

All framing lumber and plywood shall be clearly marked with a grade stamp. Plywood shall be APA rated sheathing.

Notching in the top and bottom of rafters and beams shall not be permitted. Holes shall not be within 2" of the top or bottom of the member, shall not exceed 1/3 the depth, and shall be located within the middle 1/3 of the span.

Provide joist hangers at all flush framing conditions in new framing.

All light-gage Simpson connectors (such as joist hangers, beam hangers, post caps, post bases, hurricane clips, etc.) shall be Zmax coated where exposed to weather or in contact with pressure treated lumber.

Thru-bolts, carriage bolts, expansion bolts, screw anchors, epoxied threaded rod, and lag screws shall be hot-dipped galvanized, including their associated nuts and washers.

Provide oversize washer at all sill plate anchor rods, Simpson BPS 5/8-3 bearing plate (3" x 3 Ga. x 3" plate w/ slotted hole) or equal. Anchor rods shall be 5/8" galvanized A36 rod with 8" embedment & 2" hook, spaced 32" o.c. unless noted.

At all exterior walls, provide a continuous layer of 1/2" CDX plywood sheathing on INTERIOR face of stud wall. Sheathing may be interrupted by existing posts and girts which are wider than the stud wall. Nailing required shall be 8d nails spaced 6" o.c. along all panel edges, and 12" o.c. in panel field, unless otherwise shown on the drawings.

Provide blocking as required for attachment of architectural trim, windows, doors, and all roof edge details.

Where nailing schedule is not indicated, follow minimum nailing per IBC.

Special Inspections shall be made of all structural framing at completion and at the end of mechanical rough ins prior to installation of insulation and installation of interior plywood sheathing. Under no condition shall finishes be installed prior to final inspection.

EXTERIOR FINISH CARPENTRY

New exterior barn siding shall be 1x6 tongue and groove, square joint, S2S, eastern white pine. Backprime, and seal all end cuts and tongue/groove, with alkyl primer.

New exterior trim, including window casings, sill nosing, door casings, rake, frieze, soffit, etc. shall be western red cedar, S4S, primed, finger-jointed to sizes shown. Seal all end and edge cuts with alkyl primer.

Use stainless steel siding nails to secure siding to existing/new framing, set flush with surface. Use stainless steel finish nails or trim screws to secure exterior trim to existing/new framing, set below surface and putty hole.

ROOFING AND FLASHING

Roof shingles shall be architectural asphalt fiberglass composition, self-sealing roof shingles. See 'Exterior Elevations' drawing A200 for brand, style, and color. Provide standard manufacturer's warranty.

Roofing contractor shall examine the roof deck surface and repair any defects as required to provide a satisfactory surface to receive roofing materials.

Install 1/6 oz. hard copper drip edge at eave edge of roof. Provide a minimum overlap of 6" at all joints.

Install self adhesive, non-skid Ice & Water Membrane (W.R. Grace Ice & Water Shield, or GAF WeatherWatch Waterproof Underlayment) on entire roof and over the fascia 1 1/2" behind the drip edge. Do not leave exposed to sunlight for more than 30 days. Overlap all seams a minimum of 6". Do not install when air or surface temperature is below 40 degrees Fahrenheit.

Use hot dip galvanized roofing nails 2" long, quantity as specified by manufacturer for project wind speed and exposure.

THERMAL INSULATION

Thermal insulation for all construction listed below shall be closed cell sprayed polyurethane foam, minimum density of 1.5 lb/cu. ft. and minimum aged R-value of 6.2 per inch of thickness at 75 deg F.

A. All 3-1/2" thick exterior walls: 3 1/2" thick, R-21 min.
B. Cathedral & Vaulted ceiling rafters: 5" thick, R-30 min.

Tape seams of existing siding boards facing into stud bays prior to applying spray foam.

Flame-Spread Index shall be 25 or less.
Smoke-Developed Index shall be 450 or less.

Comply with insulation manufacturer's written instructions applicable to products and applications.

Spray insulation to envelop entire area to be insulated and fill voids.

Apply in multiple passes to not exceed maximum thicknesses recommended by manufacturer. Do not spray into rising foam.

WOOD WINDOWS AND DOORS

New windows shall be Harvey Building Products 'Majesty' new construction windows, awning style aluminum clad wood frame/sash. See 'Window Schedule' on drawing A400. Glazing shall be double-pane Low-E insulating glass with argon gas fill, with U-value of 0.30. Sashes shall have simulated divided lights with muntin bars adhered to interior and exterior face of glazing, and spacer bars in between panes.

Protect window and door units from weather exposure until installed, flashed, and primed.

See 'Door Schedule' on drawing A400 for new exterior and interior door units.

Install Vicor self-adhered flashing around all door and window openings, all sides.

Follow manufacturer's installation instructions for window and door installation.

Insulate/seal space between window/door frames and rough framing with low-pressure polyurethane foam, 'Great Stuff Window & Door', or equal.

Exterior door units shall be rated for exterior exposure and weatherstripped.

EXTERIOR PAINTING

Materials

Exterior alkyl primer for wood shall be Benjamin Moore 'Fresh Start' Moorewhite Exterior Wood Primer. Use 'Grey' primer on exterior wood doors, use 'White' primer for all other work.

Exterior alkyl primer for rusty metal shall be Benjamin Moore 'Rust Primer', grey.

Exterior acrylic topcoats on all new and existing trim and siding, including window and door casings, and door jambs, shall be Benjamin Moore 'Arborcoat Waterborne Exterior Stain, Solid Color', color is 'Navajo White' CC-95.

Exterior acrylic topcoats on exterior wood doors (slabs only) shall be Benjamin Moore 'Aura Grand Entrance Satin Finish', color is 'Black' HC-100.

Execution

Seal all end cuts of wood siding and trim with 1 coat of alkyl primer, except 2 coats along bottom edge of exterior siding abutting foundation.

Existing siding to remain shall be sanded down to bare wood, and primed with 1 coat of alkyl primer. Contractor shall test existing paint for lead, and take all precautions necessary to collect dust and chips, and protect workers.

All new siding and trim shall be primed (aka 'backprimed') all surfaces with 1 coat of alkyl primer.

Exterior wood doors (doors only - not including frames and casing) shall be primed with 1 coat of alkyl primer. Frames shall be factory primed.

All new and existing exterior siding and trim, including window and door casings, and door jambs, shall be painted with 2 finish coats of acrylic-latex solid color stain.

STRUCTURAL CHAINS AND HARDWARE

All structural chains and hardware furnished and installed by rough carpentry trade.

Chain shall be 3/8" Grade 80 alloy lifting chain, plain finish.

Eyebolt shall be 3/4-10 coarse thread x6" shank drop forged eye bolt, no shoulder. Cut off excess thread length flush with nut after tensioning of chain.

Washer plate shall be fabricated from A36 steel, mill finish.

Shackle shall be 1/2" drop forged chain shackle with 5/8" round pin.

Nut shall be 3/4-10 coarse thread hex nut, mill finish.

Create pocket in face of existing 6x6 eave plate to allow plate and nut to be recessed underneath siding. Cut and patch exterior siding/trim as required for installation.

All exposed hardware shall be uncoated plain finish (no plating or coating). Wire brush all exposed hardware to dull any sheen.

Chain shall be installed so as to bring exterior eaves in alignment from end to end and bring exterior walls plumb, and shall be taught under its own weight. Tensioning shall be achieved by tightening nut against washer plate at each eave.

Coat nut and washer with 3 coats of cold galvanizing compound (spray can).

ELECTRICAL

Provide and install a new 100 amp service and main breaker panel. Excavation and backfilling is by others. Assume service will need to be extended from Main Street Putney. Coordinate all work with United Illuminating Co.

Provide and install all panels, wires/conduit, circuit breakers, switches, receptacles, junction boxes, etc. as required to provide a complete, safe, and functional electrical system.

Provide and install a complete and functional hard wired fire alarm system with smoke detector(s), pull station(s), horn(s), strobe(s), and control panel with battery backup and capability for output to outside monitoring service.

Connect all electrical fixtures, appliances, receptacles, etc. to the electrical panel in the building with the appropriate size circuit breakers and connections.

All wiring shall be run concealed in walls, ceilings and/or rafter spaces.

All conductors shall be copper. Wires and cables shall be THW grade 600 volts. Minimum wire size shall be #14 gauge. Aluminum wire will not be permitted on this project.

Ground fault circuit interrupters shall be installed where required by code. Exterior outlets shall be weatherproof type.

Mounting heights shall be as follows, unless indicated otherwise on plans:
Wall receptacles = 12"
Switches = 4'-0"

Refer to 'Work Under This Contract' and 'Work to be Performed by Others' for further refinement of the scope of electrical work.

INTERIOR FINISH CARPENTRY (NIC)

New interior wood boarding shall be 1x6 shiplap edge, rough sawn face, eastern white pine.

New interior trim, including window casings, stool, door casings, baseboard, etc. shall be 1x rough sawn face, eastern white pine.

Use finish nails to secure all boards and trim, set head below surface, and putty hole.

GYPSUM BOARD (NIC)

The walls & ceiling of the Storage Room shall be finished with 1/2" thick gypsum board.

Joint treatment shall be Perfa-Tape, three (3) coat joint system. Use Dur-A-Bead corner reinforcement and edge molding. All trim shall be taped a minimum of 5". Allow a minimum of 24 hours drying time between coats. Sand between coats as required.

Install gypsum board using 1 1/4" long bugle head screws at 8" o.c. in field of panel and along joints.

INTERIOR PAINTING (NIC)

Materials

Interior primer for gypsum board walls shall be Benjamin Moore 'Fresh Start' all-based primer, 'White'.

Interior acrylic paint for interior gypsum board walls, wood window frames/sashes/trim, and wood door frames/slabs/trim shall be Benjamin Moore 'Regal Select' waterborne interior paint, pearl finish, 'White'.

Interior acrylic stain for rough sawn board finish on walls and ceilings, including baseboard and miscellaneous trim, shall be Benjamin Moore 'Arborcoat Waterborne Exterior Stain, Semi-Transparent', color is 'White'.

Execution

All new and existing interior rough sawn boards shall receive 2 coats of semi-transparent stain.

All new interior windows and doors, including frames, sashes, casings, and trim, shall receive 2 coats of acrylic paint.

HEATING AND COOLING (NIC)

Heating and cooling shall be accomplished with a 'mini-split' electric heat pump system. Units and linesets shall be sized to handle the heating and cooling demands of the entire building.

Provide pad for outdoor condensing unit.

Refrigerant linesets shall be fully insulated, and routed in a manner acceptable to the Architect.

DeStefano & Chamberlain

Incorporated

Structural and Architectural Engineering

50 Thorpe Street, Fairfield, CT 06824-5725
203 254-7131 www.dstructural.com



Ownership and conditions of use:
Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
Copyright 2013 DeStefano & Chamberlain, Inc.

Issued for Bids
Not for Construction

Revisions/Submissions

| Date | Description |
|------|-------------|
|------|-------------|

| Date | Description |
|------|-------------|
|------|-------------|

BOOTHE MEMORIAL PARK VISITOR & EDUCATION CENTER




5800 Main Street Putney
Stratford, CT 06614

GENERAL NOTES

| | |
|-----------------------------|-------------------------|
| Project Number: 16-953 | Date: 4-26-2016 |
| Scale: 3/4" = 1'-0" | Drawing number: A002 |
| Designed by: JBD/KHC/RTW | |
| Drawn by: RTW | |
| Checked by: KHC | |

Ownership and conditions of use:
 Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
 Copyright 2013 DeStefano & Chamberlain, Inc.

Issued for Bids
Not for Construction



| INTERIOR FINISH SCHEDULE | | | | |
|--------------------------|------------------|---|--|--|
| Room | Name | Walls | Ceiling | Floor |
| 101 | Visitor's Center | New rough sawn pine boards & trim, and existing exposed timbers Apply 2 coats of waterborne translucent stain Benjamin Moore 'Navajo White' OC-95 | New rough sawn pine boards Apply 1 coat of waterborne clear sealer | Existing concrete Powerwash and scrape clean Apply 2 coats of clear waterborne sealer. |
| 102 | Storage | New gypsum wall board & wood trim Apply alkyl primer and 2 acrylic topcoats Benjamin Moore 'Navajo White' OC-95 Satin finish | New gypsum wall board Apply alkyl primer and 2 acrylic topcoats Benjamin Moore 'Navajo White' OC-95 Satin finish | Existing concrete Powerwash and scrape clean Apply 2 coats of clear waterborne sealer. |

| Revisions/Submission | |
|----------------------|-------------|
| Date | Description |
| | |
| | |

North


**BOOTHE MEMORIAL PARK
 VISITOR & EDUCATION
 CENTER**
 5800 Main Street Putney
 Stratford, CT 06614

| | |
|-----------------------------|--------------------------------|
| ARCHITECTURAL PLANS | |
| Project Number: 16-953 | Date: 4-26-2016 |
| Scale: As indicated | Drawing number: A100 |
| Designed by: JBD/KHC/RTW | |
| Drawn by: RTW | |
| Checked by: KHC | |




Ownership and conditions of use:
 Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
 Copyright 2013 DeStefano & Chamberlain, Inc.

Issued for Bids
 Not for Construction



1 SOUTH INTERIOR ELEVATION
 A300 1/2" = 1'-0"



2 EAST INTERIOR ELEVATION
 A300 1/2" = 1'-0"


| Revisions/Submission | |
|----------------------|-------------|
| Date | Description |
| | |
| | |
| | |

BOOTHE MEMORIAL PARK VISITOR & EDUCATION CENTER
 5800 Main Street Putney
 Stratford, CT 06614


| BUILDING SECTIONS | |
|-----------------------------|-------------------------|
| Project Number: 16-253 | Date: 4-26-2016 |
| Scale: 1/2" = 1'-0" | Drawing number: A300 |
| Designed by: JBD/KHC/RTW | |
| Drawn by: RTW | |
| Checked by: KHC | |

Ownership and conditions of use:
 Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
 Copyright 2013 DeStefano & Chamberlain, Inc.

Issued for Bids
 Not for Construction



3 NORTH INTERIOR ELEVATION
 1/2" = 1'-0"



4 WEST INTERIOR ELEVATION
 1/2" = 1'-0"

| Revisions/Submission | |
|----------------------|-------------|
| Date | Description |
| | |
| | |
| | |

BOOTHE MEMORIAL PARK VISITOR & EDUCATION CENTER
 5800 Main Street Putney
 Stratford, CT 06614

| BUILDING SECTIONS | |
|-----------------------------|-------------------------|
| Project Number: 16-953 | Date: 4-26-2016 |
| Scale: 1/2" = 1'-0" | Drawing number: A301 |
| Designed by: JBD/KHC/RTW | A301 |
| Drawn by: RTW | |
| Checked by: KHC | |



Ownership and conditions of use:
 Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
 Copyright 2013 DeStefano & Chamberlain, Inc.


Issued for Bids
Not for Construction

| Revisions/Submission | |
|----------------------|-------------|
| Date | Description |
| | |
| | |
| | |


| | |
|--|------|
|  North | Seal |
|--|------|

**BOOTHE MEMORIAL PARK
 VISITOR & EDUCATION
 CENTER**
 5800 Main Street Putney
 Stratford, CT 06614


| | |
|-----------------------------|-------------------------|
| DEMOLITION PLANS | |
| Project Number: 16-253 | Date: 4-26-2016 |
| Scale: 1/4" = 1'-0" | Drawing number: D100 |
| Designed by: JBD/KHC/RTW | |
| Drawn by: RTW | |
| Checked by: KHC | |



ROOF DEMOLITION PLAN
 1/4" = 1'-0"



LOFT FLOOR DEMOLITION PLAN
 1/4" = 1'-0"




FIRST FLOOR DEMOLITION PLAN
 1/4" = 1'-0"



Ownership and conditions of use:
 Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
 Copyright 2013 DeStefano & Chamberlain, Inc.

Issued for Bids
 Not for Construction



ELECTRICAL AND LIGHTING PLAN
 1/4" = 1'-0"

Provide temporary lights, wired to permanent lighting circuits, prior to project closeout.



Revisions/Submission:

| Date | Description |
|------|-------------|
| | |
| | |
| | |

| | |
|--|------|
|  North | Seal |
|--|------|


**BOOTHE MEMORIAL PARK
 VISITOR & EDUCATION
 CENTER**
 5800 Main Street Putney
 Stratford, CT 06614

**ELECTRICAL AND
 LIGHTING PLAN**


| | |
|-----------------------------|-------------------------|
| Project Number: 16-253 | Date: 4-26-2016 |
| Scale: 1/4" = 1'-0" | Drawing number: E100 |
| Designed by: JBD/KHC/RTW | E100 |
| Drawn by: RTW | |
| Checked by: KHC | |

Ownership and conditions of use:
 Drawings and Specifications, as instruments of professional service are and shall remain the property of DeStefano & Chamberlain. Documents are not to be used, in whole or in part, for other projects or purposes or by any other parties than those authorized by contract without the specific written authorization of DeStefano & Chamberlain.
 Copyright 2013 DeStefano & Chamberlain, Inc.


Issued for Bids
 Not for Construction




FOUNDATION PLAN
 1/4" = 1'-0"




LOFT FLOOR FRAMING PLAN
 1/4" = 1'-0"




ROOF FRAMING PLAN
 1/4" = 1'-0"



TYPICAL CONCRETE BLOCK CURB DETAIL
 1 1/2" = 1'-0"



TYPICAL TIMBER REPAIR DETAIL
 3" = 1'-0"



TYPICAL EAVE TIEING DETAIL
 1 1/2" = 1'-0"



| Revisions/Submission | |
|----------------------|-------------|
| Date | Description |
| | |
| | |
| | |

North

Seal

BOOTHE MEMORIAL PARK VISITOR & EDUCATION CENTER
 5800 Main Street Putney
 Stratford, CT 06614

| | |
|-----------------------------|-------------------------|
| STRUCTURAL PLANS | |
| Project Number: 16-953 | Date: 4-26-2016 |
| Scale: As indicated | Drawing number: S100 |
| Designed by: JBD/KHC/RTW | |
| Drawn by: RTW | |
| Checked by: KHC | |

BID FORM

BID: 2016-024 Boothe Memorial Park Visitor & Education Center Repair & Restoration

BASE BID

Written Form: _____

Dollars: (\$ _____)

ADDENDA

In submitting this proposal, I have received and included in this Proposal, the following Addenda:

| Addendum No. | Date |
|--------------|-------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |

Signed: _____

Signature

Print

Company Name : _____

Address : _____

City, St, Zip Code : _____

Phone : (____) - ____ - _____

REFERENCES (at least three with contact information)

Project: Repair To The Boothe Memorial Park Visitor And Education Center

**Minimum Rates and Classifications
for Building Construction**

ID# : B 22088

**Connecticut Department of Labor
Wage and Workplace Standards Division**

By virtue of the authority vested in the Labor Commissioner under provisions of Section 31-53 of the General Statutes of Connecticut, as amended, the following are declared to be the prevailing rates and welfare payments and will apply only where the contract is advertised for bid within 20 days of the date on which the rates are established. Any contractor or subcontractor not obligated by agreement to pay to the welfare and pension fund shall pay this amount to each employee as part of his/her hourly wages.

Project Number:

Project Town: Stratford

State#:

FAP#:

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| CLASSIFICATION | Hourly Rate | Benefits |
|--|--------------------|-----------------|
| 1a) Asbestos Worker/Insulator (Includes application of insulating materials, protective coverings, coatings, & finishes to all types of mechanical systems; application of firestopping material for wall openings & penetrations in walls, floors, ceilings | 35.75 | 28.82 |
| <hr/> | | |
| 1b) Asbestos/Toxic Waste Removal Laborers: Asbestos removal and encapsulation (except its removal from mechanical systems which are not to be scrapped), toxic waste removers, blasters.**See Laborers Group 7** | | |
| <hr/> | | |
| 1c) Asbestos Worker/Heat and Frost Insulator | 37.15 | 27.56 |

As of: **Thursday, May 05, 2016**

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|----------------|-------|-------|
| 2) Boilermaker | 35.24 | 25.01 |
|----------------|-------|-------|

| | | |
|---|-------|-----------|
| 3a) Bricklayer, Cement Mason, Concrete Finisher (including caulking), Stone Masons | 33.48 | 29.16 + a |
|---|-------|-----------|

| | | |
|-----------------|-------|-------|
| 3b) Tile Setter | 34.30 | 24.15 |
|-----------------|-------|-------|

| | | |
|---|-------|-------|
| 3c) Terrazzo Mechanics and Marble Setters | 31.69 | 22.35 |
|---|-------|-------|

| | | |
|---------------------------------------|-------|-------|
| 3d) Tile, Marble & Terrazzo Finishers | 26.43 | 20.59 |
|---------------------------------------|-------|-------|

| | | |
|---------------|-------|-------|
| 3e) Plasterer | 33.48 | 29.16 |
|---------------|-------|-------|

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

-----LABORERS-----

| | | |
|---|-------|-----------|
| 4) Group 1: Laborers (common or general), acetylene burners, carpenter tenders, concrete specialists, wrecking laborers, fire watchers. | 28.55 | 18.90 + a |
| <hr/> | | |
| 4a) Group 2: Mortar mixers, plaster tender, power buggy operators, powdermen, fireproofers/mixer/nozzleman (Person running mixer and spraying fireproof only). | 28.80 | 18.90 + a |
| <hr/> | | |
| 4b) Group 3: Jackhammer operators/pavement breaker, mason tender (brick), mason tender (cement/concrete), forklift operators and forklift operators (masonry). | 29.05 | 18.90 + a |
| <hr/> | | |
| 4c) **Group 4: Pipelayers (Installation of water, storm drainage or sewage lines outside of the building line with P6, P7 license) (the pipelayer rate shall apply only to one or two employees of the total crew who primary task is to actually perform the mating of pipe sections) P6 and P7 rate is \$26.80. | 28.80 | 18.90 + a |
| <hr/> | | |
| 4d) Group 5: Air track operator, sand blaster and hydraulic drills. | 29.30 | 18.90 + a |
| <hr/> | | |

Project: Repair To The Boothe Memorial Park Visitor And Education Center

4e) Group 6: Blasters, nuclear and toxic waste removal. 31.55 18.90 + a

4f) Group 7: Asbestos/lead removal and encapsulation (except it's removal from mechanical systems which are not to be scrapped). 29.55 18.90 + a

4g) Group 8: Bottom men on open air caisson, cylindrical work and boring crew. 28.38 18.90 + a

4h) Group 9: Top men on open air caisson, cylindrical work and boring crew. 27.86 18.90 + a

4i) Group 10: Traffic Control Signalman 16.00 18.90 + a

5) Carpenter, Acoustical Ceiling Installation, Soft Floor/Carpet Laying, Metal Stud Installation, Form Work and Scaffold Building, Drywall Hanging, Modular-Furniture Systems Installers, Lathers, Piledrivers, Resilient Floor Layers. 31.45 23.54

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

5a) Millwrights 31.84 23.99

6) Electrical Worker (including low voltage wiring) (Trade License required: E1,2 L-5,6 C-5,6 T-1,2 L-1,2 V-1,2,7,8,9) 37.62 23.00 + 3% of gross wage

7a) Elevator Mechanic (Trade License required: R-1,2,5,6) 49.00 29.985+a+b

-----LINE CONSTRUCTION-----

Groundman 24.99 6.25%+11.81

Linemen/Cable Splicer 45.43 6.25%+20.70

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|---|-------|-----------|
| 8) Glazier (Trade License required: FG-1,2) | 35.08 | 19.35 + a |
|---|-------|-----------|

| | | |
|---|-------|-----------|
| 9) Ironworker, Ornamental, Reinforcing, Structural, and Precast Concrete Erection | 34.47 | 31.09 + a |
|---|-------|-----------|

----OPERATORS----

| | | |
|--|-------|-----------|
| Group 1: Crane handling or erecting structural steel or stone, hoisting engineer 2 drums or over, front end loader (7 cubic yards or over), work boat 26 ft. and over and Tunnel Boring Machines. (Trade License Required) | 38.55 | 23.55 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 2: Cranes (100 ton rate capacity and over); Excavator over 2 cubic yards; Piledriver (\$3.00 premium when operator controls hammer); Bauer Drill/Caisson. (Trade License Required) | 38.23 | 23.55 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 3: Excavator; Backhoe/Excavator under 2 cubic yards; Cranes (under 100 ton rated capacity), Grader/Blade; Master Mechanic; Hoisting Engineer (all types of equipment where a drum and cable are used to hoist or drag material regardless of motive power of operation), Rubber Tire Excavator (Drott-1085 or similar); Grader Operator; Bulldozer Fine Grade. (slopes, shaping, laser or GPS, etc.). (Trade License Required) | 37.49 | 23.55 + a |
|--|-------|-----------|

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|--|-------|-----------|
| Group 4: Trenching Machines; Lighter Derrick; Concrete Finishing Machine; CMI Machine or Similar; Koehring Loader (Skooper). | 37.10 | 23.55 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 5: Specialty Railroad Equipment; Asphalt Paver; Asphalt Reclaiming Machine; Line Grinder; Concrete Pumps; Drills with Self Contained Power Units; Boring Machine; Post Hole Digger; Auger; Pounder; Well Digger; Milling Machine (over 24" Mandrell) | 36.51 | 23.55 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 5 continued: Side Boom; Combination Hoe and Loader; Directional Driller; Pile Testing Machine. | 36.51 | 23.55 + a |
|--|-------|-----------|

| | | |
|---|-------|-----------|
| Group 6: Front End Loader (3 up to 7 cubic yards); Bulldozer (rough grade dozer). | 36.20 | 23.55 + a |
|---|-------|-----------|

| | | |
|--|-------|-----------|
| Group 7: Asphalt roller, concrete saws and cutters (ride on types), vermeer concrete cutter, Stump Grinder; Scraper; Snooper; Skidder; Milling Machine (24" and under Mandrell). | 35.86 | 23.55 + a |
|--|-------|-----------|

| | | |
|---|-------|-----------|
| Group 8: Mechanic, grease truck operator, hydroblaster; barrier mover; power stone spreader; welding; work boat under 26 ft.; transfer machine. | 35.46 | 23.55 + a |
|---|-------|-----------|

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|--|-------|-----------|
| Group 9: Front end loader (under 3 cubic yards), skid steer loader regardless of attachments, (Bobcat or Similar): forklift, power chipper; landscape equipment (including Hydroseeder). | 35.03 | 23.55 + a |
|--|-------|-----------|

| | | |
|---|-------|-----------|
| Group 10: Vibratory hammer; ice machine; diesel and air, hammer, etc. | 32.99 | 23.55 + a |
|---|-------|-----------|

| | | |
|--|-------|-----------|
| Group 11: Conveyor, earth roller, power pavement breaker (whiphammer), robot demolition equipment. | 32.99 | 23.55 + a |
|--|-------|-----------|

| | | |
|-------------------------------|-------|-----------|
| Group 12: Wellpoint operator. | 32.93 | 23.55 + a |
|-------------------------------|-------|-----------|

| | | |
|--|-------|-----------|
| Group 13: Compressor battery operator. | 32.35 | 23.55 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| Group 14: Elevator operator; tow motor operator (solid tire no rough terrain). | 31.21 | 23.55 + a |
|--|-------|-----------|

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

Group 15: Generator Operator; Compressor Operator; Pump Operator; Welding Machine Operator; Heater Operator. 30.80 23.55 + a

Group 16: Maintenance Engineer/Oiler. 30.15 23.55 + a

Group 17: Portable asphalt plant operator; portable crusher plant operator; portable concrete plant operator. 34.46 23.55 + a

Group 18: Power safety boat; vacuum truck; zim mixer; sweeper; (Minimum for any job requiring a CDL license). 32.04 23.55 + a

-----PAINTERS (Including Drywall Finishing)-----

10a) Brush and Roller 31.52 19.35

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|------------------------------------|-------|-------|
| 10b) Taping Only/Drywall Finishing | 32.27 | 19.35 |
|------------------------------------|-------|-------|

| | | |
|--------------------------------|-------|-------|
| 10c) Paperhanger and Red Label | 32.02 | 19.35 |
|--------------------------------|-------|-------|

| | | |
|----------------------|-------|-------|
| 10e) Blast and Spray | 34.52 | 19.35 |
|----------------------|-------|-------|

| | | |
|--|-------|-------|
| 11) Plumber (excluding HVAC pipe installation) (Trade License required: P-1,2,6,7,8,9 J-1,2,3,4 SP-1,2) | 40.62 | 28.91 |
|--|-------|-------|

| | | |
|---------------------------------------|-------|-----------|
| 12) Well Digger, Pile Testing Machine | 33.01 | 19.40 + a |
|---------------------------------------|-------|-----------|

| | | |
|------------------------|-------|-----------|
| Roofer: Cole Tar Pitch | 39.00 | 14.75 + a |
|------------------------|-------|-----------|

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|---|-------|-----------|
| Roofer: Slate, Tile, Composition, Shingles, Singly Ply and Damp/Waterproofing | 37.50 | 14.75 + a |
|---|-------|-----------|

| | | |
|---|-------|-------|
| 15) Sheetmetal Worker (Trade License required for HVAC and Ductwork: SM-1,SM-2,SM-3,SM-4,SM-5,SM-6) | 43.41 | 33.85 |
|---|-------|-------|

| | | |
|---|-------|-------|
| 16) Pipefitter (Including HVAC work) (Trade License required: S-1,2,3,4,5,6,7,8 B-1,2,3,4 D-1,2,3,4, G-1, G-2, G-8 & G-9) | 40.62 | 28.91 |
|---|-------|-------|

-----TRUCK DRIVERS-----

| | | |
|-------------|-------|-----------|
| 17a) 2 Axle | 28.83 | 21.39 + a |
|-------------|-------|-----------|

| | | |
|-------------------------------|-------|-----------|
| 17b) 3 Axle, 2 Axle Ready Mix | 28.93 | 21.39 + a |
|-------------------------------|-------|-----------|

As of: **Thursday, May 05, 2016**

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|-----------------------|-------|-----------|
| 17c) 3 Axle Ready Mix | 28.98 | 21.39 + a |
|-----------------------|-------|-----------|

| | | |
|---|-------|-----------|
| 17d) 4 Axle, Heavy Duty Trailer up to 40 tons | 29.03 | 21.39 + a |
|---|-------|-----------|

| | | |
|-----------------------|-------|-----------|
| 17e) 4 Axle Ready Mix | 29.08 | 21.39 + a |
|-----------------------|-------|-----------|

| | | |
|--|-------|-----------|
| 17f) Heavy Duty Trailer (40 Tons and Over) | 29.28 | 21.39 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| 17g) Specialized Earth Moving Equipment (Other Than Conventional Type on-the-Road Trucks and Semi-Trailers, Including Euclids) | 29.08 | 21.39 + a |
|--|-------|-----------|

| | | |
|--|-------|-----------|
| 18) Sprinkler Fitter (Trade License required: F-1,2,3,4) | 41.37 | 20.77 + a |
|--|-------|-----------|

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

| | | |
|---------------------------------|-------|------|
| 19) Theatrical Stage Journeyman | 25.76 | 7.34 |
|---------------------------------|-------|------|

Project: Repair To The Boothe Memorial Park Visitor And Education Center

Welders: Rate for craft to which welding is incidental.

**Note: Hazardous waste removal work receives additional \$1.25 per hour for truck drivers.*

***Note: Hazardous waste premium \$3.00 per hour over classified rate*

ALL Cranes: When crane operator is operating equipment that requires a fully licensed crane operator to operate he receives an extra \$3.00 premium in addition to the hourly wage rate and benefit contributions:

1) Crane handling or erecting structural steel or stone; hoisting engineer (2 drums or over)

2) Cranes (100 ton rate capacity and over) Bauer Drill/Caisson

3) Cranes (under 100 ton rated capacity)

Crane with 150 ft. boom (including jib) - \$1.50 extra

Crane with 200 ft. boom (including jib) - \$2.50 extra

Crane with 250 ft. boom (including jib) - \$5.00 extra

Crane with 300 ft. boom (including jib) - \$7.00 extra

Crane with 400 ft. boom (including jib) - \$10.00 extra

All classifications that indicate a percentage of the fringe benefits must be calculated at the percentage rate times the "base hourly rate".

Apprentices duly registered under the Commissioner of Labor's regulations on "Work Training Standards for Apprenticeship and Training Programs" Section 31-51-d-1 to 12, are allowed to be paid the appropriate percentage of the prevailing journeymen hourly base and the full fringe benefit rate, providing the work site ratio shall not be less than one full-time journeyman instructing and supervising the work of each apprentice in a specific trade.

The Prevailing wage rates applicable to this project are subject to annual adjustments each July 1st for the duration of the project.

Each contractor shall pay the annual adjusted prevailing wage rate that is in effect each July 1st, as posted by the Department of Labor.

It is the contractor's responsibility to obtain the annual adjusted prevailing wage rate increases directly from the Department of Labor's website.

The annual adjustments will be posted on the Department of Labor's Web page: www.ct.gov/dol. For those without internet access, please contact the division listed below.

The Department of Labor will continue to issue the initial prevailing wage rate schedule to the Contracting Agency for the project.

All subsequent annual adjustments will be posted on our Web Site for contractor access.

Contracting Agencies are under no obligation pursuant to State labor law to pay any increase due to the annual adjustment provision.

As of: Thursday, May 05, 2016

Project: Repair To The Boothe Memorial Park Visitor And Education Center

Effective October 1, 2005 - Public Act 05-50: any person performing the work of any mechanic, laborer, or worker shall be paid prevailing wage

All Person who perform work ON SITE must be paid prevailing wage for the appropriate mechanic, laborer, or worker classification.

All certified payrolls must list the hours worked and wages paid to All Persons who perform work ON SITE regardless of their ownership i.e.: (Owners, Corporate Officers, LLC Members, Independent Contractors, et. al)

Reporting and payment of wages is required regardless of any contractual relationship alleged to exist between the contractor and such person.

~~Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clause (29 CFR 5.5 (a) (1) (ii)).

Please direct any questions which you may have pertaining to classification of work and payment of prevailing wages to the Wage and Workplace Standards Division, telephone (860)263-6790.

As of: Thursday, May 05, 2016

Sec. 31-53b. Construction safety and health course. New miner training program. Proof of completion required for mechanics, laborers and workers on public works projects. Enforcement. Regulations. Exceptions. (a) Each contract for a public works project entered into on or after July 1, 2009, by the state or any of its agents, or by any political subdivision of the state or any of its agents, described in subsection (g) of section 31-53, shall contain a provision requiring that each contractor furnish proof with the weekly certified payroll form for the first week each employee begins work on such project that any person performing the work of a mechanic, laborer or worker pursuant to the classifications of labor under section 31-53 on such public works project, pursuant to such contract, has completed a course of at least ten hours in duration in construction safety and health approved by the federal Occupational Safety and Health Administration or, has completed a new miner training program approved by the Federal Mine Safety and Health Administration in accordance with 30 CFR 48 or, in the case of telecommunications employees, has completed at least ten hours of training in accordance with 29 CFR 1910.268.

(b) Any person required to complete a course or program under subsection (a) of this section who has not completed the course or program shall be subject to removal from the worksite if the person does not provide documentation of having completed such course or program by the fifteenth day after the date the person is found to be in noncompliance. The Labor Commissioner or said commissioner's designee shall enforce this section.

(c) Not later than January 1, 2009, the Labor Commissioner shall adopt regulations, in accordance with the provisions of chapter 54, to implement the provisions of subsections (a) and (b) of this section. Such regulations shall require that the ten-hour construction safety and health courses required under subsection (a) of this section be conducted in accordance with federal Occupational Safety and Health Administration Training Institute standards, or in accordance with Federal Mine Safety and Health Administration Standards or in accordance with 29 CFR 1910.268, as appropriate. The Labor Commissioner shall accept as sufficient proof of compliance with the provisions of subsection (a) or (b) of this section a student course completion card issued by the federal Occupational Safety and Health Administration Training Institute, or such other proof of compliance said commissioner deems appropriate, dated no earlier than five years before the commencement date of such public works project.

(d) This section shall not apply to employees of public service companies, as defined in section 16-1, or drivers of commercial motor vehicles driving the vehicle on the public works project and delivering or picking up cargo from public works projects provided they perform no labor relating to the project other than the loading and unloading of their cargo.

(P.A. 06-175, S. 1; P.A. 08-83, S. 1.)

History: P.A. 08-83 amended Subsec. (a) by making provisions applicable to public works project contracts entered into on or after July 1, 2009, replacing provision re total cost of work with reference to Sec. 31-53(g), requiring proof in certified payroll form that new mechanic, laborer or worker has completed a 10-hour or more construction safety course and adding provision re new miner training program, amended Subsec. (b) by substituting "person" for "employee" and adding "or program", amended Subsec. (c) by adding "or in accordance with Federal Mine Safety and Health Administration Standards" and setting new deadline of January 1, 2009, deleted former Subsec. (d) re "public building", added new Subsec. (d) re exemptions for public service company employees and delivery drivers who perform no labor other than delivery and made conforming and technical changes, effective January 1, 2009.

Informational Bulletin

THE 10-HOUR OSHA CONSTRUCTION SAFETY AND HEALTH COURSE

(applicable to public building contracts entered into *on or after July 1, 2007*, where the total cost of all work to be performed is at least \$100,000)

- (1) This requirement was created by Public Act No. 06-175, which is codified in Section 31-53b of the Connecticut General Statutes (pertaining to the prevailing wage statutes);
- (2) The course is required for public building construction contracts (projects funded in whole or in part by the state or any political subdivision of the state) entered into on or after July 1, 2007;
- (3) It is required of private employees (not state or municipal employees) and apprentices who perform manual labor for a general contractor or subcontractor on a public building project where the total cost of all work to be performed is at least \$100,000;
- (4) The ten-hour construction course pertains to the ten-hour Outreach Course conducted in accordance with federal OSHA Training Institute standards, and, for telecommunications workers, a ten-hour training course conducted in accordance with federal OSHA standard, 29 CFR 1910.268;
- (5) The internet website for the federal OSHA Training Institute is http://www.osha.gov/fso/ote/training/edcenters/fact_sheet.html;
- (6) The statutory language leaves it to the contractor and its employees to determine who pays for the cost of the ten-hour Outreach Course;
- (7) Within 30 days of receiving a contract award, a general contractor must furnish proof to the Labor Commissioner that all employees and apprentices performing manual labor on the project will have completed such a course;
- (8) Proof of completion may be demonstrated through either: (a) the presentation of a *bona fide* student course completion card issued by the federal OSHA Training Institute; *or* (2) the presentation of documentation provided to an employee by a trainer certified by the Institute pending the actual issuance of the completion card;
- (9) Any card with an issuance date more than 5 years prior to the commencement date of the construction project shall not constitute proof of compliance;

- (10) Each employer shall affix a copy of the construction safety course completion card to the certified payroll submitted to the contracting agency in accordance with Conn. Gen. Stat. § 31-53(f) on which such employee's name first appears;
- (11) Any employee found to be in non-compliance shall be subject to removal from the worksite if such employee does not provide satisfactory proof of course completion to the Labor Commissioner by the fifteenth day after the date the employee is determined to be in noncompliance;
- (12) Any such employee who is determined to be in noncompliance may continue to work on a public building construction project for a maximum of fourteen consecutive calendar days while bringing his or her status into compliance;
- (13) The Labor Commissioner may make complaint to the prosecuting authorities regarding any employer or agent of the employer, or officer or agent of the corporation who files a false certified payroll with respect to the status of an employee who is performing manual labor on a public building construction project;
- (14) The statute provides the minimum standards required for the completion of a safety course by manual laborers on public construction contracts; any contractor can exceed these minimum requirements; and
- (15) Regulations clarifying the statute are currently in the regulatory process, and shall be posted on the CTDOL website as soon as they are adopted in final form.
- (16) Any questions regarding this statute may be directed to the Wage and Workplace Standards Division of the Connecticut Labor Department via the internet website of <http://www.ctdol.state.ct.us/wgwkstnd/wgemenu.htm>; or by telephone at (860)263-6790.

THE ABOVE INFORMATION IS PROVIDED EXCLUSIVELY AS AN EDUCATIONAL RESOURCE, AND IS NOT INTENDED AS A SUBSTITUTE FOR LEGAL INTERPRETATIONS WHICH MAY ULTIMATELY ARISE CONCERNING THE CONSTRUCTION OF THE STATUTE OR THE REGULATIONS.

November 29, 2006

Notice
To All Mason Contractors and Interested Parties
Regarding Construction Pursuant to Section 31-53 of the
Connecticut General Statutes (Prevailing Wage)

The Connecticut Labor Department Wage and Workplace Standards Division is empowered to enforce the prevailing wage rates on projects covered by the above referenced statute.

Over the past few years the Division has withheld enforcement of the rate in effect for workers who operate a forklift on a prevailing wage rate project due to a potential jurisdictional dispute.

The rate listed in the schedules and in our Occupational Bulletin (see enclosed) has been as follows:

Forklift Operator:

- **Laborers (Group 4) Mason Tenders** - operates forklift solely to assist a mason to a maximum height of nine feet only.
- **Power Equipment Operator (Group 9)** - operates forklift to assist any trade and to assist a mason to a height over nine feet.

The U.S. Labor Department conducted a survey of rates in Connecticut but it has not been published and the rate in effect remains as outlined in the above Occupational Bulletin.

Since this is a classification matter and not one of jurisdiction, effective January 1, 2007 the Connecticut Labor Department will enforce the rate on each schedule in accordance with our statutory authority.

Your cooperation in filing appropriate and accurate certified payrolls is appreciated.

STATUTE 31-55a

- SPECIAL NOTICE -

To: All State and Political Subdivisions, Their Agents, and Contractors

Connecticut General Statute 31-55a - Annual adjustments to wage rates by contractors doing state work.

Each contractor that is awarded a contract on or after October 1, 2002, for (1) the construction of a state highway or bridge that falls under the provisions of section 31-54 of the general statutes, or (2) the construction, remodeling, refinishing, refurbishing, rehabilitation, alteration or repair of any public works project that falls under the provisions of section 31-53 of the general statutes shall contact the Labor Commissioner on or before July first of each year, for the duration of such contract, to ascertain the prevailing rate of wages on an hourly basis and the amount of payment or contributions paid or payable on behalf of each mechanic, laborer or worker employed upon the work contracted to be done, and shall make any necessary adjustments to such prevailing rate of wages and such payment or contributions paid or payable on behalf of each such employee, effective each July first.

- The prevailing wage rates applicable to any contract or subcontract awarded on or after October 1, 2002 are subject to annual adjustments each July 1st for the duration of any project which was originally advertised for bids on or after October 1, 2002.
- Each contractor affected by the above requirement shall pay the annual adjusted prevailing wage rate that is in effect each July 1st, as posted by the Department of Labor.
- It is the **contractor's** responsibility to obtain the annual adjusted prevailing wage rate increases directly from the Department of Labor's Web Site. The annual adjustments will be posted on the Department of Labor Web page: www.ctdol.state.ct.us. For those without internet access, please contact the division listed below.
- The Department of Labor will continue to issue the initial prevailing wage rate schedule to the Contracting Agency for the project. All subsequent annual adjustments will be posted on our Web Site for contractor access.

Any questions should be directed to the Contract Compliance Unit, Wage and Workplace Standards Division, Connecticut Department of Labor, 200 Folly Brook Blvd., Wethersfield, CT 06109 at (860)263-6790.


~NOTICE~

TO ALL CONTRACTING AGENCIES

Please be advised that Connecticut General Statutes Section 31-53, requires the contracting agency to certify to the Department of Labor, the total dollar amount of work to be done in connection with such public works project, regardless of whether such project consists of one or more contracts.

Please find the attached “Contracting Agency Certification Form” to be completed and returned to the Department of Labor, Wage and Workplace Standards Division, Public Contract Compliance Unit.

 Inquiries can be directed to (860)263-6543.



CONNECTICUT DEPARTMENT OF LABOR
WAGE AND WORKPLACE STANDARDS DIVISION
CONTRACT COMPLIANCE UNIT

CONTRACTING AGENCY CERTIFICATION FORM

I, _____, acting in my official capacity as _____,
authorized representative title

for _____, located at _____,
contracting agency address

do hereby certify that the total dollar amount of work to be done in connection with
_____, located at _____,
project name and number address

shall be \$_____, which includes all work, regardless of whether such project
consists of one or more contracts.

CONTRACTOR INFORMATION

Name: _____

Address: _____

Authorized Representative: _____

Approximate Starting Date: _____

Approximate Completion Date: _____

Signature

Date

Return To: Connecticut Department of Labor
Wage & Workplace Standards Division
Contract Compliance Unit
200 Folly Brook Blvd.
Wethersfield, CT 06109

Date Issued: _____

CONNECTICUT DEPARTMENT OF LABOR
WAGE AND WORKPLACE STANDARDS DIVISION

CONTRACTORS WAGE CERTIFICATION FORM
Construction Manager at Risk/General Contractor/Prime Contractor

I, _____ of _____
Officer, Owner, Authorized Rep. Company Name

do hereby certify that the _____
Company Name

Street

City

and all of its subcontractors will pay all workers on the

Project Name and Number

Street and City

the wages as listed in the schedule of prevailing rates required for such project (a copy of which is attached hereto).

Signed

Subscribed and sworn to before me this _____ day of _____, _____.

Notary Public

Return to:

Connecticut Department of Labor
Wage & Workplace Standards Division
200 Folly Brook Blvd.
Wethersfield, CT 06109

Rate Schedule Issued (Date): _____

***FRINGE BENEFITS EXPLANATION (P):**

Bona fide benefits paid to approved plans, funds or programs, except those required by Federal or State Law (unemployment tax, worker’s compensation, income taxes, etc.).

Please specify the type of benefits provided:

- 1) Medical or hospital care _____ 4) Disability _____
- 2) Pension or retirement _____ 5) Vacation, holiday _____
- 3) Life Insurance _____ 6) Other (please specify) _____

CERTIFIED STATEMENT OF COMPLIANCE

For the week ending date of _____,

I, _____ of _____, (hereafter known as Employer) in my capacity as _____ (title) do hereby certify and state:

Section A:

1. All persons employed on said project have been paid the full weekly wages earned by them during the week in accordance with Connecticut General Statutes, section 31-53, as amended. Further, I hereby certify and state the following:

- a) The records submitted are true and accurate;
- b) The rate of wages paid to each mechanic, laborer or workman and the amount of payment or contributions paid or payable on behalf of each such person to any employee welfare fund, as defined in Connecticut General Statutes, section 31-53 (h), are not less than the prevailing rate of wages and the amount of payment or contributions paid or payable on behalf of each such person to any employee welfare fund, as determined by the Labor Commissioner pursuant to subsection Connecticut General Statutes, section 31-53 (d), and said wages and benefits are not less than those which may also be required by contract;
- c) The Employer has complied with all of the provisions in Connecticut General Statutes, section 31-53 (and Section 31-54 if applicable for state highway construction);
- d) Each such person is covered by a worker’s compensation insurance policy for the duration of his employment which proof of coverage has been provided to the contracting agency;
- e) The Employer does not receive kickbacks, which means any money, fee, commission, credit, gift, gratuity, thing of value, or compensation of any kind which is provided directly or indirectly, to any prime contractor, prime contractor employee, subcontractor, or subcontractor employee for the purpose of improperly obtaining or rewarding favorable treatment in connection with a prime contract or in connection with a prime contractor in connection with a subcontractor relating to a prime contractor; and
- f) The Employer is aware that filing a certified payroll which he knows to be false is a class D felony for which the employer may be fined up to five thousand dollars, imprisoned for up to five years or both.

2. OSHA~The employer shall affix a copy of the construction safety course, program or training completion document to the certified payroll required to be submitted to the contracting agency for this project on which such persons name first appears.

 (Signature) (Title) Submitted on (Date)

[New] In accordance with Section 31-53b(a) of the C.G.S. each contractor shall provide a copy of the OSHA 10 Hour Construction Safety and Health Card for each employee, to be attached to the first certified payroll on the project.

| PAYROLL CERTIFICATION FOR PUBLIC WORKS PROJECTS | | | | | | | | | | | Connecticut Department of Labor Wage and Workplace Standards Division 200 Folly Brook Blvd. Wethersfield, CT 06109 | | | | | | | | | | |
|--|------------------|------------------------|---|---|---|--|---|----|-----------------|--------------------------------|---|------------------------|---|--|------------------|----------------------|--------------------|------------|--|---------------------|-------------------|
| In accordance with Connecticut General Statutes, 31-53 Certified Payrolls with a statement of compliance shall be submitted monthly to the contracting agency. | | | | | | | | | | | WEEKLY PAYROLL | | | | | | | | | | |
| CONTRACTOR NAME AND ADDRESS: Landon Corporation, 15 Connecticut Avenue, Northford, CT 06472 | | | | | | SUBCONTRACTOR NAME & ADDRESS XYZ Corporation 2 Main Street Yantic, CT 06389 | | | | | WORKER'S COMPENSATION INSURANCE CARRIER Travelers Insurance Company POLICY # #BAC8888928 EFFECTIVE DATE: 1/1/09 EXPIRATION DATE: 12/31/09 | | | | | | | | | | |
| PAYROLL NUMBER | Week-Ending Date | PROJECT NAME & ADDRESS | | | | | | | | | Total ST Hours | BASE HOURLY RATE | TYPE OF FRINGE BENEFITS Per Hour 1 through 6 (see back) | GROSS PAY FOR ALL WORK PERFORMED THIS WEEK | TOTAL DEDUCTIONS | | | | GROSS PAY FOR THIS PREVAILING RATE JOB | CHECK # AND NET PAY | |
| | | DAY AND DATE | | | | | | | Total O/T Hours | TOTAL FRINGE BENEFIT PLAN CASH | | | | | FICA | FEDERAL WITH-HOLDING | STATE WITH-HOLDING | LIST OTHER | | | |
| PERSON/WORKER, ADDRESS and SECTION | APPR RATE % | MALE/FEMALE AND RACE* | WORK CLASSIFICATION | S | M | T | W | TH | | | F | S | | | | | | | | | |
| 1 | 9/26/09 | DOT 105-296, Route 82 | | | | | | | | | | | | | | | | | | | |
| Robert Craft 81 Maple Street Willimantic, CT 06226 | | M/C | Electrical Lineman E-1 1234567 Owner OSHA 123456 | | 8 | 8 | 8 | 8 | 8 | | | S-TIME 40 O-TIME | \$ 30.75 Base Rate \$ 8.82 Cash Fringe | 1. \$ 5.80 2. \$ 3. \$ 2.01 4. \$ 5. \$ 6. \$ | \$1,582.80 | | | | P-xxxx | \$1,582.80 | #123 \$ xxx.xx |
| Ronald Jones 212 Elm Street Norwich, CT 06360 | 65% | M/B | Electrical Apprentice OSHA 234567 | | 8 | 8 | 8 | 8 | 8 | | | S-TIME 40 O-TIME | \$ 19.99 Base Rate \$ 16.63 Cash Fringe | 1. \$ 2. \$ 3. \$ 4. \$ 5. \$ 6. \$ | \$1,464.80 | xx.xx | xxx.xx | xx.xx | G-xxx | \$1,464.80 | #124 \$xxx.xx |
| Franklin T. Smith 234 Washington Rd. New London, CT 06320 SECTION B | | M/H | Project Manager | | | 8 | | | | | | S-TIME 8 O-TIME | \$ Base Rate \$ Cash Fringe | 1. \$ 2. \$ 3. \$ 4. \$ 5. \$ 6. \$ | \$1,500.00 | xx.xx | xx.xx | xx.xx | M-xx.x | | #125 xxx.xx |
| | | | | | | | | | | | | S-TIME O-TIME | \$ Base Rate \$ Cash Fringe | 1. \$ 2. \$ 3. \$ 4. \$ 5. \$ 6. \$ | | | | | | | |

7/13/2009 *IF REQUIRED
WWS-CP1

*SEE REVERSE SIDE

PAGE NUMBER 1 OF 2

OSHA 10 ~ATTACH CARD TO 1ST CERTIFIED PAYROLL

***FRINGE BENEFITS EXPLANATION (P):**

Bona fide benefits paid to approved plans, funds or programs, except those required by Federal or State Law (unemployment tax, worker's compensation, income taxes, etc.).

Please specify the type of benefits provided:

- 1) Medical or hospital care Blue Cross 4) Disability _____
- 2) Pension or retirement _____ 5) Vacation, holiday _____
- 3) Life Insurance Utopia 6) Other (please specify) _____

CERTIFIED STATEMENT OF COMPLIANCE

For the week ending date of 9/26/09,

I, Robert Craft of XYZ Corporation, (hereafter known as

Employer) in my capacity as Owner (title) do hereby certify and state:

Section A:

1. All persons employed on said project have been paid the full weekly wages earned by them during the week in accordance with Connecticut General Statutes, section 31-53, as amended. Further, I hereby certify and state the following:

- a) The records submitted are true and accurate;
- b) The rate of wages paid to each mechanic, laborer or workman and the amount of payment or contributions paid or payable on behalf of each such employee to any employee welfare fund, as defined in Connecticut General Statutes, section 31-53 (h), are not less than the prevailing rate of wages and the amount of payment or contributions paid or payable on behalf of each such employee to any employee welfare fund, as determined by the Labor Commissioner pursuant to subsection Connecticut General Statutes, section 31-53 (d), and said wages and benefits are not less than those which may also be required by contract;
- c) The Employer has complied with all of the provisions in Connecticut General Statutes, section 31-53 (and Section 31-54 if applicable for state highway construction);
- d) Each such employee of the Employer is covered by a worker's compensation insurance policy for the duration of his employment which proof of coverage has been provided to the contracting agency;
- e) The Employer does not receive kickbacks, which means any money, fee, commission, credit, gift, gratuity, thing of value, or compensation of any kind which is provided directly or indirectly, to any prime contractor, prime contractor employee, subcontractor, or subcontractor employee for the purpose of improperly obtaining or rewarding favorable treatment in connection with a prime contract or in connection with a prime contractor in connection with a subcontractor relating to a prime contractor; and
- f) The Employer is aware that filing a certified payroll which he knows to be false is a class D felony for which the employer may be fined up to five thousand dollars, imprisoned for up to five years or both.

2. OSHA~The employer shall affix a copy of the construction safety course, program or training completion document to the certified payroll required to be submitted to the contracting agency for this project on which such employee's name first appears.

Robert Craft owner 10/2/09
 (Signature) (Title) Submitted on (Date)

Section B: Applies to CONNDOT Projects ONLY

That pursuant to CONNDOT contract requirements for reporting purposes only, all employees listed under Section B who performed work on this project are not covered under the prevailing wage requirements defined in Connecticut General Statutes Section 31-53.

Robert Craft owner 10/2/09
 (Signature) (Title) Submitted on (Date)

Note: CTDOL will assume all hours worked were performed under Section A unless clearly delineated as Section B WWS-CP1 as such. Should an employee perform work under both Section A and Section B, the hours worked and wages paid must be segregated for reporting purposes.

*****THIS IS A PUBLIC DOCUMENT***
DO NOT INCLUDE SOCIAL SECURITY NUMBERS**

**Connecticut Department of Labor
Wage and Workplace Standards Division
FOOTNOTES**

⇒ Please Note: If the “Benefits” listed on the schedule for the following occupations includes a letter(s) (+ a or + a+b for instance), refer to the information below.

Benefits to be paid at the appropriate prevailing wage rate for the listed occupation.

If the “Benefits” section for the occupation lists only a dollar amount, disregard the information below.

**Bricklayers, Cement Masons, Cement Finishers, Concrete Finishers, Stone Masons
(Building Construction) and
(Residential- Hartford, Middlesex, New Haven, New London and Tolland Counties)**

- a. Paid Holiday: Employees shall receive 4 hours for Christmas Eve holiday provided the employee works the regularly scheduled day before and after the holiday. Employers may schedule work on Christmas Eve and employees shall receive pay for actual hours worked in addition to holiday pay.

Elevator Constructors: Mechanics

- a. Paid Holidays: New Year’s Day, Memorial Day, Independence Day, Labor Day, Veterans’ Day, Thanksgiving Day, Christmas Day, plus the Friday after Thanksgiving.
- b. Vacation: Employer contributes 8% of basic hourly rate for 5 years or more of service or 6% of basic hourly rate for 6 months to 5 years of service as vacation pay credit.

Glaziers

- a. Paid Holidays: Labor Day and Christmas Day.

**Power Equipment Operators
(Heavy and Highway Construction & Building Construction)**

- a. Paid Holidays: New Year’s Day, Good Friday, Memorial day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day, provided the employee works 3 days during the week in which the holiday falls, if scheduled, and if scheduled, the working day before and the working day after the holiday. Holidays falling on Saturday may be observed on Saturday, or if the employer so elects, on the preceding Friday.

Ironworkers

- a. Paid Holiday: Labor Day provided employee has been on the payroll for the 5 consecutive work days prior to Labor Day.

Laborers (Tunnel Construction)

- a. Paid Holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Christmas Day. No employee shall be eligible for holiday pay when he fails, without cause, to work the regular work day preceding the holiday or the regular work day following the holiday.

Roofers

- a. Paid Holidays: July 4th, Labor Day, and Christmas Day provided the employee is employed 15 days prior to the holiday.

Sprinkler Fitters

- a. Paid Holidays: Memorial Day, July 4th, Labor Day, Thanksgiving Day and Christmas Day, provided the employee has been in the employment of a contractor 20 working days prior to any such paid holiday.

Truck Drivers

(Heavy and Highway Construction & Building Construction)

- a. Paid Holidays: New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Christmas day, and Good Friday, provided the employee has at least 31 calendar days of service and works the last scheduled day before and the first scheduled day after the holiday, unless excused.